

# A NEW STANDARD OF SIMPLICITY AND RELIABILITY IN MULTI-GAS DETECTION

---

Honeywell BW™ Icon and BW™ Flex

---



**Honeywell**

# THE BEST OF HONEYWELL BW™ IN THREE PORTABLE COMPLIANCE DETECTORS

From pioneering a fixed-life single-gas detector to launching the first compact multi-gas detector with one-button operation, Honeywell BW™ has set the standard for quality, reliability and ease of use in portable gas detection.

The BW Next Generation Multi-Gas Platform combines the best features of our legacy portable gas detectors with the latest technology and capabilities. Workers can continue to get the Honeywell BW™ experience and performance they expect in addition to new features which make it even easier to increase multi-gas safety and compliance.

## NUMEROUS APPLICATIONS

Whether you're on an oil rig in Texas or at a steel plant in India, the Honeywell BW™ Next Generation Multi-Gas Platform has a portable multi-gas detector to meet your requirements.

### Honeywell BW™ Icon

Fixed-life, 2-year, 4-gas detector for the hazards workers face most often



### Honeywell BW™ Icon+

Serviceable 4-gas detector with a choice of 5 sensors



### Honeywell BW™ Flex

Serviceable 4-gas detector with a choice of more than 15 sensors



The first icon-based display to enable faster decision-making and training. [See page 6](#)

# YOUR WORKERS' RELIABLE, EVERYDAY COMPANION FOR SAFETY

Honeywell BW™ Icon and Flex detectors go wherever your workers do, continuing to sense gas even in challenging environments.

## ALL THREE DETECTORS GIVE YOU:

- **2 months of battery runtime.** Get up to two working months of gas detection on a 4.5 hour charge\*. That means no daily charging and no unexpected downtime.
- **Advanced infrared technology.** The long battery runtime is due to Honeywell's infrared sensor for combustible gases at the lower explosive limit (LEL), which draws 100 times less power than traditional catalytic bead sensors.
- **Reliable LEL detection – with no sensor poisoning.** Honeywell's infrared LEL sensor is immune to airborne contaminants such as greases and other silicones that can erode some LEL sensors. That means the sensor will accurately monitor combustibles throughout the detector's lifespan – with less time and cost for sensor maintenance.
- **Extreme ingress protection for total confidence.** With IP ratings of 66 and 68, BW™ Icon and Flex detectors stand up to dust *and* immersion in water. So whether you drop your detector in a tank or use it in a steel mill, it will continue to operate effectively.
- **Catalytic LEL sensors for traditional applications.** BW™ Flex will also be offered with the option of standard catalytic LEL sensors for complete protection over the range of traditional applications.



## FAST, ACCURATE SENSING – EVEN IN EXTREME CONDITIONS

BW™ Icon and Flex detectors have 1 Series sensors, which are one-third the height of the industry standard. This slim profile not only makes for a lighter, smaller detector – it also means quicker sensor response time, because gas diffuses into the sensors more quickly.

These sensors will respond to dangerous levels of gas within seconds, even in temperatures from -40°C to 60°C (-40°F to 140°F)\*\* – as well as transient pressure, humidity and other environmental extremes.

Even in the harshest settings, workers are alerted to gas hazards so they can leave the area.



*1 Series – the highest standard of sensor quality and reliability*

*\*When equipped with IR LEL Sensor*

*\*\*Catalytic LEL temperature range from -20°C to 60°C (-4°F to 140°F)*

# LIGHTWEIGHT DETECTORS. HEAVYWEIGHT PERFORMANCE.

Continuing the legacy of Honeywell BW™ products, the Icon and Flex portable detectors are engineered for simple operation and straightforward notification, including bright lights, vibration and a 95-decibel alarm. If there's a gas threat, workers will know it.

- **Keeps workers safe without weighing them down.** Workers want to use portable gas detectors that are easy to handle. BW™ Icon and Flex delivers the ease of use they expect from Honeywell BW™. Each detector is small, lightweight and nonintrusive to wear, yet tough enough for harsh conditions.
- **One-button operation: No expertise required.** BW™ Icon and Flex detectors have only one button for simple use — even if you're wearing gloves — which prevents tampering and reduces training time.



- **Safety at a glance.** Want to quickly determine whether a detector is in compliance? Just look for Honeywell's patented IntelliFlash™ — a flashing green light, visible from a distance, that indicates the detector has been bump tested and is monitoring correctly. An amber light indicates the need for maintenance.



*IntelliDoX automated instrument management system*


## EFFICIENT INSTRUMENT MANAGEMENT

BW™ Icon and Flex portable detectors are compatible with the IntelliDoX instrument management system, which combines smart docking modules with the Honeywell Safety Suite software. It's the same docking system used with other Honeywell BW™ detectors, which means no new infrastructure.

- **Get more done in less time with a unified docking system and software.** Simply place one or more detectors in the IntelliDoX docking system, which automatically performs bump tests and transfers the data — including alarms, exposures, test results and more — to the software for intuitive analysis, compliance tracking and device configuration.
- **Test detectors with or without external filters.** Want to use an external filter to protect the internal sensors from contaminants? With IntelliDoX, you can bump-test detectors with external filters attached, giving you a complete test of sensor performance and the appropriate calibration.
- **Reduce infrastructure costs and downtime.** Existing IntelliDoX modules can be converted and made compatible quickly and easily by using the IntelliDoX nest for BW™ Icon and Flex, helping to reduce capital outlay, system downtime and training.


# COMPLIANCE REPORTING FROM YOUR SMARTPHONE

BW™ Icon and Flex make it simple to report a gas alarm. Simply download the Honeywell Device Configurator app, use Bluetooth® to pair your smartphone with the detector and open the app to see the data — organized in a report that's ready to go. Just hit send.



## KEEPING YOU CONNECTED TO SAFETY

Bluetooth® connectivity — along with one-button operation, smartphone apps and clear compliance dashboards in Honeywell Safety Suite — make BW™ Icon and Flex multi-gas detectors some of the easiest to use in the industry.



# HONEYWELL BW™ ICON: THE SIMPLEST WAY TO PRIORITIZE SAFETY

Honeywell BW™ Icon is a fixed-life, 2-year, 4-gas detector. That means you can turn it on and activate two years of protection, with no need for sensor or battery replacement — and no hidden costs. The detector simultaneously monitors the four gases that workers face most often including oxygen (O<sub>2</sub>), hydrogen sulfide (H<sub>2</sub>S), combustible gas (LEL) and your choice of either carbon monoxide (CO) or sulfur dioxide (SO<sub>2</sub>).

## Icon-based display

Honeywell BW™ Icon is named for its display of simple icons for gas levels and device status — **the first of its kind in the gas detection industry**. That means no live gas readings for workers to interpret — and no time-consuming training.

## Fast decisions

When there's a gas alarm, the bell icon on the display will illuminate, along with an indicator next to the sensor in alarm, so workers can quickly clear the area.




## Easy-to-understand icons

In addition to two alarm bells, the display includes icons that illuminate for:

- TWA (time-weighted average)
- STEL (short-term exposure limit)
- Bump test due
- Calibration due
- Battery status
- Bluetooth®

## SERVICEABLE VERSION: HONEYWELL BW™ ICON+

Want to maximize the lifespan of your 4-gas detectors and optimize long-term cost of ownership? Choose the serviceable Honeywell BW™ Icon+, which gives you the same icon-based experience, plus additional toxic sensor configurations coming soon.



## DATA AT YOUR FINGERTIPS

Want to see the full concentration of a gas? Or other information that's not on the icon-based display? Just pair the detector with your smartphone and use the Honeywell Device Configurator app to see gas data and send reports.

# HONEYWELL BW™ FLEX: SERVICEABLE 4-GAS IN A SLIM PACKAGE SIZE

Whether you're protecting workers or first responders – in industries from steel and wastewater to paper and pulp – BW™ Flex delivers the flexibility you need.

#### Real-time gas readings at a glance

A large high-resolution display with readings available in a wide range of languages.

#### Simultaneous monitoring of up to five gas hazards

For versatile application, you will soon be able to choose from more than 15 sensors including sulfur dioxide (SO<sub>2</sub>), phosphine (PH<sub>3</sub>), ammonia (NH<sub>3</sub>) and others.

And thanks to an upcoming COSH sensor – combining hydrogen sulfide (H<sub>2</sub>S) and carbon monoxide (CO) into one – Honeywell BW™ Flex will be one of the smallest, lightest 5-gas detectors available.



#### Intelligent sensors for increased safety and uptime

Honeywell BW™ Flex incorporates i-Series intelligent sensors which monitor sensor status and provide advanced predictive calibration, maintenance and end-of-life information in real-time.

These advanced alerts help reduce the likelihood of failure and increase awareness so preventive action can be taken to avoid safety incidents and unexpected downtime.



# PROTECTING YOUR WORKERS AND YOUR ENTERPRISE

The Honeywell BW™ Next Generation Multi-Gas Platform is one more way that Honeywell offers comprehensive safety solutions to help protect the lives of workers in hazardous environments.

## TURN SAFETY INTO A STRATEGIC ADVANTAGE

With these portable multi-gas detectors, Honeywell also helps your company turn safety into a strategic advantage — by improving workers' confidence on the job, increasing their productivity, reducing the cost of compliance management and preventing unexpected downtime.

## YOUR SAFETY IN MIND

As the world leader in industrial safety, Honeywell offers a comprehensive portfolio of head-to-toe personal protective equipment; fixed and portable gas detectors; and sensors, software, control systems and other connected technologies. It's all designed to help you protect your people, your assets and your profitability.

### Americas

Honeywell Analytics  
Distribution Inc.  
Tel: +1 847 955 8200  
Toll free: +1 800 538 0363  
detectgas@honeywell.com  
gasdetection@honeywell.com

### Europe, Middle East, Africa

Life Safety Distribution GmbH  
Toll-Free 00800 333 222 44  
Middle East +971 4 450 5800  
Middle East +971 4 450 5852  
(Portable Gas Detection)  
gasdetection@honeywell.com  
[www.honeywellanalytics.com](http://www.honeywellanalytics.com)

### Asia Pacific

Honeywell Analytics Asia Pacific  
Tel: +82 (0) 2 6909 0300  
India Tel: +91 124 4752700  
analytics.ap@honeywell.com

### Technical Services

EMEA: HAexpert@honeywell.com  
US/CA: ha.us.service@honeywell.com  
AP: ha.ap.service@honeywell.com

THE  
FUTURE  
IS  
WHAT  
WE  
MAKE IT

**Honeywell**



# Les services d'EURO-INDEX

EURO-INDEX fournit des services pour tous les instruments de sa gamme de fournitures et offre des services, de la connaissance et du personnel hautement qualifié pour l'entretien (préventif), la réparation et le calibrage de vos instruments de mesure.

## Centre de Service Agréé.....

EURO-INDEX est un Centre de Service Agréé pour toutes les marques représentées.

Autrement dit, vos instruments sont traités par du personnel formé et compétent, qui dispose des outils et logiciels adéquats. Seules des pièces d'origine sont utilisées et la garantie de votre instrument ainsi que la certification (ATEX, EN50379, etc.) restent valables.

## Laboratoire de maintenance et de calibrage .....

EURO-INDEX dispose d'un laboratoire de maintenance et de calibrage particulièrement moderne, titulaire d'une accréditation conforme à la norme NEN-EN-ISO/IEC 17025. Cette accréditation est valable pour différentes grandeurs, telles que spécifiées dans le champ d'application associé au numéro d'accréditation K105.



## MQS® .....

MQS est une formule d'entretien exclusive comportant un entretien et un calibrage périodiques de vos instruments de mesure. La prise en charge de multiples aspects vise à vous libérer de tout souci lors de l'utilisation de vos instruments de mesure. Les coûts sont modiques et prévisibles.

## Accès numérique à vos certificats de calibrage avec Mon MQS .....

Mon MQS est un portail Web qui vous donne accès partout et à tout moment à vos certificats de calibrage et aux documents apparentés.

## Location d'instruments de mesure .....

- Vaste assortiment
- Conseils avisés
- Les instruments sont livrés avec leurs accessoires et leurs certificats de calibrage traçables

## EURO-INDEX Academy .....

- Formations sur les produits (individuelles et collectives)
- Séminaires
- Vidéos de démonstration et d'instruction

**Visionnez la vidéo sur notre chaîne YouTube et découvrez tout ce qu'il vous faut savoir sur MQS**



Guichet des services



Calibrage de l'analyse de gaz de combustion



Séminaires et ateliers



Calibrage de la thermographie

Sous réserve de modifications EURO-INDEX® FR 18001

Le nom et la marque Bluetooth® sont la propriété de Bluetooth SIG Inc. L'utilisation de ce nom par EURO-INDEX s'effectue sous licence.



**BELGIQUE**  
Leuvensesteenweg 607  
1930 Zaventem  
T: 02 - 757 92 44  
F: 02 - 757 92 64  
info@euro-index.be  
www.euro-index.be

**PAYS-BAS**  
Rivium 2e straat 12  
2909 LG Capelle a/d IJssel  
T: +31 - (0)10 - 2 888 000  
F: +31 - (0)10 - 2 888 010  
verkoop@euro-index.nl  
www.euro-index.nl

