

GCT Clip Docks

**Test four detectors at the same time with
a snap in the bay & a push of a button**



Single Gas Clip Dock



Multi Gas Clip Dock



MGC Pump Clip Dock



MGC Simple Clip Dock



Single Gas Clip Dock
Wall Mount



Multi Gas Clip Dock
Wall Mount



MGC Pump Clip Dock
Wall Mount



MGC Simple Clip Dock
Wall Mount

- **Test, record & store information quickly & easily anywhere**
- **Choose a rugged portable case or a wall-mountable version**
- **Individual detector event logs, firmware, detector configurations and bump test/calibration logs for maintaining safety records**
- **Perform 1500+ bump tests with one 116L gas cylinder**
- **Lithium ion battery ensures thousands of tests before recharging**
- **Simple-to-use one button operation with clear pass/fail indicators**
- **Built in pressure gauge and regulator inside hinged internal gas cylinder compartment makes operation simple**



Portable Gas Detectors You Can Count On
gascliptech.com • +1.972.775.7577 • Toll-free: 1.877.525.0808

Contact us: <https://www.gascliptech.com/contactus.php>



GCT Clip Dock Versions

Single Gas Clip Dock Part# SGC-DOCK	Portable docking station for bump testing & calibrating Single Gas Clip and Single Gas Clip Plus detectors
Single Gas Clip Dock Wall Mount Part# SGC-WMDOCK	Same capabilities as the portable Single Gas Clip Dock; set in a metal case that can stand alone or be wall mounted
Multi Gas Clip Dock Part# MGC-DOCK	Portable docking station for bump testing & calibrating Multi Gas Clip IR and Multi Gas Clip Pellistor detectors
Multi Gas Clip Dock Wall Mount Part# MGC-WMDOCK	Same capabilities as the portable Multi Gas Clip Dock; set in a metal case that can stand alone or be wall mounted
MGC Pump Clip Dock Part# MGC-DOCK-PUMP	Portable docking station for bump testing & calibrating Multi Gas Clip Pump IR and Multi Gas Clip Pump Pellistor detectors
MGC Pump Clip Dock Wall Mount Part# MGC-WMDOCK-PUMP	Same capabilities as the portable MGC Pump Clip Dock; set in a metal case that can stand alone or be wall mounted
MGC Simple Clip Dock Part# MGC-S-DOCK	Portable docking station for bump testing & calibrating Multi Gas Clip Simple and Multi Gas Clip Simple Plus detectors
MGC Simple Clip Dock Wall Mount Part# MGC-S-WMDOCK	Same capabilities as the portable MGC Simple Clip Dock; set in a metal case that can stand alone or be wall mounted

Each dock includes a charging cord, hinged internal gas compartment, pressure gauge, regulator, 4GB USB memory stick and a Quick Start Guide. Wall mount docks also include wall anchors, screws and an installation template with wall mount instructions.

Detectors and gas sold separately.

GCT Clip Dock Accessories



GCT IR Link
Part# GCT-IR-Link



Hi-Pressure Conversion Kit
For Single Gas Clip Dock
Part# SCG-DOCKCONV-HP
For MGC Simple Clip Dock
Part# MGC-S-DOCKCONV-HP
For Multi Gas Clip Dock
Part# MGC-DOCKCONV-HP

Gas Cylinders

Hydrogen Sulfide (H₂S) - H₂S/N₂ 25ppm

58L - Part# SGC-H2S-58

116L - Part# SGC-H2S-116

Carbon Monoxide (CO) - CO/AIR 100ppm

58L - Part# SGC-CO-58

116L - Part# SGC-CO-116

Oxygen (O₂) - 18% O₂

58L - Part# SGC-O2-58

Quad Gas (H₂S, CO, O₂, LEL) - 25 ppm H₂S,
100 ppm CO, 18% O₂ and 50% LEL 2.5% VOL Methane

58L - Part# MGC-Q-58

116L - Part# MGC-Q-116



58L

116L

SPECIFICATIONS

Size	Portable: 19.75 x 16 x 7.5 in (50.2 x 40.6 x 19 cm) Wall Mount: 17.88 x 12 x 7.63 in (45.4 x 30.5 x 19.4 cm)
Weight	Portable: 20 lbs. (9.07 kg) Wall Mount: 22 lbs. (9.98 kg)
Battery Life	Rechargeable lithium ion battery lasts approximately 4 months under typical use before needing a recharge
Charge Time	4 - 6 hours
Tests Performed	Bump test and calibration
Warranty	Full 2 years
Stored Information	Bump test logs, calibration logs, individual detector event logs, firmware and detector configurations are stored
Certifications	EMC EN 61326-1:2013 FCC Part 15 ANSI C63.4:2009
Compatibility	Each Clip Dock is detector specific: Single Gas Clip Dock - Single Gas Clip & Single Gas Clip Plus Multi Gas Clip Dock - Multi Gas Clip MGC Pump Clip Dock - MGC Pump MGC Simple Clip Dock - MGC Simple & MGC Simple Plus
Calibration Gas	Docks are compatible with any 58L or 116L gas cylinders with a C-10 connector Single gas cylinders are available with H ₂ S, CO or O ₂ Quad gas cylinders are available with H ₂ S, CO, O ₂ & LEL



Specifications are subject to change without notice due to ongoing product development.

Distributed by:

Please contact us for additional accessories and spare parts.

Les services d'EURO-INDEX

EURO-INDEX fournit des services pour tous les instruments de sa gamme de fournitures et offre des services, de la connaissance et du personnel hautement qualifié pour l'entretien (préventif), la réparation et le calibrage de vos instruments de mesure.

Centre de Service Agréé.....

EURO-INDEX est un Centre de Service Agréé pour toutes les marques représentées.

Autrement dit, vos instruments sont traités par du personnel formé et compétent, qui dispose des outils et logiciels adéquats. Seules des pièces d'origine sont utilisées et la garantie de votre instrument ainsi que la certification (ATEX, EN50379, etc.) restent valables.

Laboratoire de maintenance et de calibrage

EURO-INDEX dispose d'un laboratoire de maintenance et de calibrage particulièrement moderne, titulaire d'une accréditation conforme à la norme NEN-EN-ISO/IEC 17025. Cette accréditation est valable pour différentes grandeurs, telles que spécifiées dans le champ d'application associé au numéro d'accréditation K105.



MQS®

MQS est une formule d'entretien exclusive comportant un entretien et un calibrage périodiques de vos instruments de mesure. La prise en charge de multiples aspects vise à vous libérer de tout souci lors de l'utilisation de vos instruments de mesure. Les coûts sont modiques et prévisibles.

Accès numérique à vos certificats de calibrage avec Mon MQS

Mon MQS est un portail Web qui vous donne accès partout et à tout moment à vos certificats de calibrage et aux documents apparentés.

Location d'instruments de mesure

- Vaste assortiment
- Conseils avisés
- Les instruments sont livrés avec leurs accessoires et leurs certificats de calibrage traçables

EURO-INDEX Academy

- Formations sur les produits (individuelles et collectives)
- Séminaires
- Vidéos de démonstration et d'instruction

Visionnez la vidéo sur notre chaîne YouTube et découvrez tout ce qu'il vous faut savoir sur MQS



Guichet des services



Calibrage de l'analyse de gaz de combustion



Séminaires et ateliers



Calibrage de la thermographie

Sous réserve de modifications EURO-INDEX® FR 18001

Le nom et la marque Bluetooth® sont la propriété de Bluetooth SIG Inc. L'utilisation de ce nom par EURO-INDEX s'effectue sous licence.



BELGIQUE
Leuvensesteenweg 607
1930 Zaventem
T: 02 - 757 92 44
F: 02 - 757 92 64
info@euro-index.be
www.euro-index.be

PAYS-BAS
Rivium 2e straat 12
2909 LG Capelle a/d IJssel
T: +31 - (0)10 - 2 888 000
F: +31 - (0)10 - 2 888 010
verkoop@euro-index.nl
www.euro-index.nl

