



EX-TEC[®]

HS 680 | 660 | 650 | 610

Precise leak detection. Clear results.
Combination measuring devices for all applications.

*Including
methane analysis*



Your gas measuring device for every application.

One device for all applications

From above ground inspection to the measurement of gas purity – the EX-TEC® HS devices equip you perfectly in any situation.

Confidently distinguish: Natural gas or swamp gas?

Thanks to integrated ethane analysis (EX-TEC® HS 680/660) you can clearly identify whether you are dealing with natural gas or non grid-bound gas.

Stay relaxed while you work

Thanks to the intuitive operation on a large backlit display and the sturdy design, you can stay relaxed even in the harshest conditions.



Even more benefits for you



Scan for
detailed product
information:



- + **Document quickly and easily**

Use the powerful GasCom software to quickly read measurement values and configure the device.

- + **Provide safety**

Explosion protection for all models:
TÜV 07 ATEX 553353 X II 2G Ex db eb ib IIB T4 Gb,
IIC when using the TG8 carrying bag

- + **Work flexibly**

Replaceable batteries, charge at the charging station or directly on the device, quick charge in 4 hours

- + **Document your gas pipeline inspection using SeCuRi® SAT**

- + **Minimise cases of accidental excavations**


Thanks to the combination of different sensors

- + **Stay mobile**

Compact device design, low energy consumption

- + **Save time**


Quickly pinpoint gas leaks thanks to extremely sensitive sensors



Measuring shafts



Measuring in bar holes application




Inspecting for gas indications

Choose your device

EX-TEC HS® 680


Gas detecting, gas warning and gas measuring



The ethane analysis supports the user with automatic messages in the device and provides a clear result to differentiate between natural gas and swamp gas (CH_4 , C_2H_6 , $C_3H_8^$).*

EX-TEC® HS 660



Gas detecting and gas measuring



The ethane analysis supports the user with automatic messages in the device and provides a clear result to differentiate between natural gas and swamp gas (CH_4 , C_2H_6 , $C_3H_8^$).*


EX-TEC® HS 650

Gas warning and
gas measuring



EX-TEC® HS 610

Basic gas
measuring device



* depends on model/sensor equipment

Legend

○ Detecting 🏠 Warning 📊 Measuring

Accessories for your everyday work

Whether it's leak detection, maintenance or calibration – the right original accessories make your work easier and ensure smooth processes.

System case




- + Everything you need to inspect the pipe network

Carpet probe PRO



- + For pipe network inspection on paved surfaces

Bell probe / telescopic bell probe



- + For pipe network inspection on unpaved surfaces

Telescopic probe SeGAS GRP



- + For inspecting difficult to access exposed pipelines

Localisation probe PRO



- + For pinpointing leaks in the inspecting bar holes application

Floating probe



- + For monitoring shafts or enclosed spaces

Flex hand probe / telescopic hand probe



- + Flexible leak detection for two-hand operation (length 360 mm or 450 to 930 mm)

Test sets & gases



- + For standard calibration

Powerful GasCom software



- + Conveniently display the recorded measurement values and extensive device configuration



Do you have questions? Call us.

Which model of the EX-TEC® HS 6x0 series is the right solution for your challenge? Let's talk. Our service and sales team will gladly support you when choosing the right device. We are there for you when you commission the device as well as afterwards.

Hermann Sewerin GmbH
Robert-Bosch-Straße 3
33334 Gütersloh | Germany
☎ +49 5241 934-0
✉ info@sewerin.com
sewerin.com

103963 – 03/2025
Subject to technical changes.

Diensten van EURO-INDEX


EURO-INDEX is fabrikant van BLAUWE LIJN en importeur/distributeur van diverse A-merken test- en meet-instrumenten. Daarnaast leveren wij een groot aantal diensten om het gebruik van deze instrumenten in uw bedrijfsvoering te optimaliseren. Dit omvat onderhoud, reparatie en kalibratie van de instrumenten, maar ook kennisdeling via EURO-INDEX Academy en verhuur van instrumenten.

Geautoriseerd Service Centrum

EURO-INDEX is van de meeste merken in het assortiment een Geautoriseerd Service Centrum. Dit betekent dat uw instrumenten worden behandeld door technici die zijn opgeleid door de fabrikant en beschikken over de juiste gereedschappen en software. Er worden uitsluitend originele onderdelen toegepast en de garantie van uw instrument blijft intact, net als de certificering (ATEX, EN50379, etc.).

Kalibratielaboratorium

Ons service- en kalibratielaboratorium is BELAC-geaccrediteerd volgens de norm EN-ISO/IEC 17025. De accreditatie geldt voor grootheden en meetbereiken zoals vermeld in de gewaarmerkte bijlage met certificaatnummer [760-CAL](#).



KWS®

KWS® is een kalibratieformule voor uw test- en meetinstrumenten met periodiek onderhoud en kalibratie tegen vaste, lage kosten. Uw kalibratiecertificaten zijn digitaal beschikbaar via Mijn KWS (gratis webportaal en app) en door de QR-code te scannen op de kalibratiesticker van het instrument.

Verhuur van meetinstrumenten

Er zijn diverse situaties waarbij huren handig is:

- U heeft tijdelijk extra toestellen nodig.
- Uw eigen meetinstrument wordt onderhouden en/of gekalibreerd.
- U moet een eenmalige meting verrichten.

EURO-INDEX Academy

- Trainingen, infosessies en workshops
- Demonstratie- en instructievideo's
- Application notes



Servicebalie



Onderhoud, reparatie en kalibratie



Trainingen en seminars



Kalibratielaboratorium

Wijzigingen voorbehouden EURO-INDEX® VL 26001



BELGIË
Leuvensesteenweg 607
1930 Zaventem
T: 02 - 757 92 44
sales@euro-index.be
www.euro-index.be

NEDERLAND
Rivium 2e straat 12
2909 LG Capelle a/d IJssel
T: +31 - (0)10 - 2 888 000
verkoop@euro-index.nl
www.euro-index.nl

